

GOODWIN | PROCTER

RECEIVED
CENTRAL FAX CENTER

NOV 12 2004

Goodwin Procter LLP
Counsellors at Law
103 Eisenhower Parkway
Roseland, NJ 07068
T: 973.992.1990**F A X T R A N S M I T T A L**

If problems with transmittal, call fax department at 973.992.1990.

Date	Total pages	Client/matter number
November 12, 2004	5	103379-132626

To	Company	Fax number	Telephone
Commissioner for Patents	U.S. Patent and Trademark Office	703-872-9306	

From	Fax number	Telephone
Patrice A. King (Reg. No. 44,833)	973.992.4643	973.994.7896

Message:

Re: Application No. : 10/807,809
Inventor : Grigoriy Gomelskiy
Filing Date : March 24, 2004
Title : APPARATUS, METHOD, AND SYSTEM FOR ANALYZING SAMPLES
USING TRIBOLUMINESCENT TECHNOLOGY
Attorney Docket No. : 103379-205-DIV
Confirmation No. : 4387

Submitted herewith is the following item for filing in the above-identified application:

1. Response To Notice To File Corrected Application Papers
2. Notice To File Corrected Application Papers.

CERTIFICATE OF TRANSMISSION

I hereby certify that this correspondence is being facsimile transmitted to Office of Petitions, USPTO at fax number (703) 872-9306 on the date indicated below.

Yvette Alvarez-Perez
Yvette Alvarez-Perez

Date

11/12/04

The information contained in this communication is intended only for the personal and confidential use of the designated recipients addressed. This message may be an attorney-client communication from an attorney at the law firm of Goodwin Procter LLP and as such is privileged and confidential. If the reader of this message is not the intended recipient, you are hereby notified that you have received this communication in error, and that any review, dissemination, distribution or copying of this message is strictly prohibited. If you have received this communication in error, please notify us at the telephone number shown above, and return the original message to us by mail. Thank you.

LIBNY/4241083.1